

Unit: mm

Specifications

Max. FOV(mm)	5.75
Sensor Size (mm)	11.5
Magnification	2.0
WD (mm)	65±0.5
Effective F-number	13
Object-side Resolution (um)	4.362
DOF (mm)	0.26
Measured Telecentricity	0.02°
Measured Distortion	0.04%
Mount	C-Mount
Length(mm)	92.5
Diameter (mm)	20
Weight (g)	98

DESIGNED IN GERMANY
ULTRA HIGH PERFORMANCE TELECENTRIC LENSES

Features

Available for cameras with sensor size of 2/3"


Available for cameras with pixel size of 3.45um

FOV (mm*mm)

1/2"(6.4X4.8)	3.2X2.4
2/3"(8.8X6.6)	4.4X3.3
Max Sensor Size (9.2X6.9)	4.6X3.45



OTL11.5-20-65C-D



Unit: mm

Specifications

Max. FOV(mm)	5.75
Sensor Size (mm)	11.5
Magnification	2.0
WD (mm)	65 \pm 0.5
Effective F-number	20
Object-side Resolution (μ m)	6.710
DOF (mm)	0.40
Measured Telecentricity	0.035°
Measured Distortion	0.02%
Mount	C-Mount
Length(mm)	92.5
Diameter (mm)	20
Weight (g)	98

DESIGNED IN GERMANY
ULTRA HIGH PERFORMANCE TELECENTRIC LENSES

Features

Available for cameras with sensor size of 2.3"

Available for cameras with pixel size of 3.45 μ m

FOV (mm*mm)

1/2"(6.4X4.8)	3.2X2.4
2/3"(8.8X6.6)	4.4X3.3
Max Sensor Size (9.2X6.9)	4.6X3.45